

Certification No. 2147

This is to certify that the metering equipment identified as:

Type: RS301DJ4

Mgmt. SAP = 1 is "52534D52533330313131323233333434" (RSMRS30111223344)

Manufactured by: Zhejiang Risesun Science and Technology Co.,Ltd.

has successfully passed the DLMS/COSEM Conformance test, under the following conditions:

- CTT version: CTT 3.0 extended edition, 64bits (109)
- Licensed to: 20150319_Zhejiang Risesun Science and Technology Co Ltd_CHINA (2015/3/19)
- COSEM object definitions file version: Object_defs_v3.1_released_170313.dat
- Media identifier(s): Abstract, Electricity

Tests	Comm. profile & opening mode	Application contexts	Security features	Date and time	Test Result hash value
Test 1	TCP	LONG_NAMES, LONG_NAMES_ WITH_CIPHERING	SERVICE_SPECIFIC _GLO_CIPHERING	02-JUL-2019 13:28:40	24DCCA2E3F6FFF5CE278EBA14DA0D8AE 13C8B5A5247A3A0627C5C2CBA7A625B3

The authenticity of the test report(s) has been verified by the DLMS User Association and the metering equipment identified above is listed on its web site at: www.dlms.com.

With this, the manufacturer is entitled to display the DLMS/COSEM Compliant mark – shown below – on its product duly identified and on its product literature.



The test reports are filed by the DLMS UA. Copies are available from the manufacturer.

This Certificate is only valid for the functions successfully tested; see the Summary. The test has been executed on one specimen of the product, as identified by the Management Logical Device Name reported. Results may not be applicable for other test specimens.

Date: Zug, the 8th July 2019

Gyöző Kmethy

Gyöző Kmethy
President

Viktória Varjú Timárné

Viktória Varjú Timárné
Certification Engineer

Certification No. 2147

Summary of features tested for Test 1

This section provides an overview of the features tested, aggregated over all logical devices and Application Associations in one test session. Full information is available in the Test Result.

```
*****  
* Identification *  
*****
```

```
Identification = {  
  Manufacturer = "\Zhejiang Risesun Science and Technology Co.,Ltd."  
  FLAGid = "\RSM"  
  Type = "\RS301DJ4"  
  IUTIsModule = FALSE  
  SerialNr = "\0001"  
}
```

```
*****  
* Summary *  
*****
```

TYPE	TOTAL	SKIPPED	INAPPLICABLE	INCONCLUSIVE	PASSED	FAILED
----	-----	-----	-----	-----	-----	-----
HDLC		All (Communication profile not HDLC)				
APPL	56	0	11	0	45	0
COSEM	1494	0	4	181	1309	0
SYMSEC	48	0	27	0	21	0

```
Communication profile:          TCP  
Application context names:     LONG_NAMES, LONG_NAMES_WITH_CIPHERING  
Security mechanisms:           LOW_LEVEL_SECURITY, HIGH_LEVEL_SECURITY_GMAC  
ACSE and xDLMS features:      ACTION, GET, RLRQ_RLRE  
                                SERVICE_SPECIFIC_BLOCK_TRANSFER, SET  
Security features:             SERVICE_SPECIFIC_GLO_CIPHERING  
Logical device(s) found:      SAP = 1 is "52534D52533330313131323233333434"  
(RSMRS30111223344)  
COSEM classes tested:         1, 3, 4, 7 (1), 8, 15, 17, 22, 29, 40, 41, 42, 43, 44, 45  
                                47, 64  
COSEM classes found but not tested: (none)
```