

Certification No. 2478

This is to certify that the metering equipment identified as:

Type: MT118 UnverifiedFirmwareId = "\\V01.07.A.01" UnverifiedFirmwareVersion = "\\V01.07"
Mgmt. SAP = 1 is "484D544D54313138" (HMTMT118)
Manufactured by: Hangzhou Meteronic Technology Co., Ltd.

has successfully passed the DLMS/COSEM Conformance test, under the following conditions:

- CTT version: CTT 3.1 standard edition, 64bits, release 107
- Licensed to: Hangzhou_Meteronic_Technology (2020/8/26)
- COSEM object definitions file version: Object_defs_v3.3_released_180601.dat
- Media identifier(s): Abstract, Electricity

Tests	Comm. profile & opening mode	Application contexts	Security features	Date and time	Test Result hash value
Test 1	HDLC, DIRECT_HDLC	LONG_NAMES, LONG_NAMES_ WITH_ CIPHERING	SERVICE_SPECIFIC _DED_CIPHERING SERVICE_SPECIFIC _GLO_CIPHERING, SUITE_0 KEY_TRANSFER	25-NOV-2020 16:20:54	59B1FB8A8A4B74E5DB04EECE21A9290B9 CAC49306839EC458D1A6A3729903D4F
Test 2	HDLC, MODE_E			25-NOV-2020 17:09:09	EC5C9D06DDAEA3573C513327528A9DBD 1DE32592EABE64E3B2DB2709D6F4A1A3
Test 3	TCP			25-NOV-2020 15:45:27	1E6F45A51F31F6C787E9A2525015EB29A7 C8344043DD2832A03940E4A283B09C

This MT118 meter device type has already been certified as No. 2414 for EFR Europäische Funk-Rundsteuerung GmbH at 21st August 2020.

The authenticity of the test report(s) has been verified by the DLMS User Association and the metering equipment identified above is listed on its web site at: www.dlms.com.

With this, the manufacturer is entitled to display the DLMS/COSEM Compliant mark – shown below – on its product duly identified and on its product literature.



The test reports are filed by the DLMS UA. Copies are available from the manufacturer.

This Certificate is only valid for the functions successfully tested; see the Summary. The test has been executed on one specimen of the product, as identified by the Management Logical Device Name reported. Results may not be applicable for other test specimens.

Date: Zug, the 30th November 2020



Sergio Lazzarotto
Executive Director and President



Gyöző Kmethy
President Emeritus



Viktória Varjú
Certification Engineer

Certification No. 2478

Summary of features tested for Test 1

This section provides an overview of the features tested, aggregated over all logical devices and Application Associations in one test session. Full information is available in the Test Result.

```
*****
* Identification *
*****
```

```
Identification = {
  Manufacturer = "\Hangzhou Meteronic Technology Co., Ltd."
  FLAGid = "\HMT"
  Type = "\MT118"
  UnverifiedFirmwareId = "\V01.07.A.01"
  UnverifiedFirmwareVersion = "\V01.07"
  ConfigurationId = "\0120080028"
  SerialNr = "\0120080028"
}
```

```
*****
* Summary *
*****
```

TYPE	TOTAL	SKIPPED	INAPPLICABLE	INCONCLUSIVE	PASSED	FAILED
----	-----	-----	-----	-----	-----	-----
HDLC	36	0	1	0	35	0
APPL	73	0	19	0	54	0
COSEM	2886	0	3	318	2565	0
SYMSEC	39	0	13	0	26	0
PUBSEC		All (No ciphered association with the required properties)				
DP	0	0	0	0	0	0
GBT		All (No association with the required properties)				

Communication profile: HDLC

Application context names: LONG_NAMES, LONG_NAMES_WITH_CIPHERING

Authentication mechanisms: NO_SECURITY, LOW_LEVEL_SECURITY
HIGH_LEVEL_SECURITY_GMAC

ACSE and xDLMS features: ACTION, GET, SERVICE_SPECIFIC_BLOCK_TRANSFER
SET

Security features: SERVICE_SPECIFIC_DED_CIPHERING
SERVICE_SPECIFIC_GLO_CIPHERING, SUITE_0
SECURITY_ACTIVATE, KEY_TRANSFER

Data protection features: (not collected)

Logical device(s) found: SAP = 1 is "484D544D54313138" (HMTMT118)

COSEM classes tested: 1, 3, 4, 7(1), 8, 11, 15, 17, 18, 19, 20, 23, 41, 42, 45
64(1), 70

COSEM classes found but not tested: (none)

Certification No. 2478

Summary of features tested for Test 2

This section provides an overview of the features tested, aggregated over all logical devices and Application Associations in one test session. Full information is available in the Test Result.

```
*****
* Identification *
*****
```

```
Identification = {
  Manufacturer = "\Hangzhou Meteronic Technology Co., Ltd."
  FLAGid = "\HMT"
  Type = "\MT118"
  UnverifiedFirmwareId = "\V01.07.A.01"
  UnverifiedFirmwareVersion = "\V01.07"
  ConfigurationId = "\0120080028"
  SerialNr = "\0120080028"
}
```

```
*****
* Summary *
*****
```

TYPE	TOTAL	SKIPPED	INAPPLICABLE	INCONCLUSIVE	PASSED	FAILED
----	-----	-----	-----	-----	-----	-----
HDLC		All (MODE_E)				
APPL	73	0	19	0	54	0
COSEM	2886	0	3	318	2565	0
SYMSEC	39	0	13	0	26	0
PUBSEC		All (No ciphered association with the required properties)				
DP	0	0	0	0	0	0
GBT		All (No association with the required properties)				

Communication profile: HDLC

Application context names: LONG_NAMES, LONG_NAMES_WITH_CIPHERING

Authentication mechanisms: NO_SECURITY, LOW_LEVEL_SECURITY
HIGH_LEVEL_SECURITY_GMAC

ACSE and xDLMS features: ACTION, GET, SERVICE_SPECIFIC_BLOCK_TRANSFER
SET

Security features: SERVICE_SPECIFIC_DED_CIPHERING
SERVICE_SPECIFIC_GLO_CIPHERING, SUITE_0
SECURITY_ACTIVATE, KEY_TRANSFER

Data protection features: (not collected)

Logical device(s) found: SAP = 1 is "484D544D54313138" (HMTMT118)

COSEM classes tested: 1, 3, 4, 7(1), 8, 11, 15, 17, 18, 19, 20, 23, 41, 42, 45
64(1), 70

COSEM classes found but not tested: (none)

Certification No. 2478

Summary of features tested for Test 3

This section provides an overview of the features tested, aggregated over all logical devices and Application Associations in one test session. Full information is available in the Test Result.

```
*****
* Identification *
*****
```

```
Identification = {
  Manufacturer = "\Hangzhou Meteronic Technology Co., Ltd."
  FLAGid = "\HMT"
  Type = "\MT118"
  UnverifiedFirmwareId = "\V01.07.A.01"
  UnverifiedFirmwareVersion = "\V01.07"
  ConfigurationId = "\0120080028"
  SerialNr = "\0120080028"
}
```

```
*****
* Summary *
*****
```

TYPE	TOTAL	SKIPPED	INAPPLICABLE	INCONCLUSIVE	PASSED	FAILED
----	-----	-----	-----	-----	-----	-----
HDLC		All (Communication profile not HDLC)				
APPL	73	0	18	0	55	0
COSEM	2886	0	3	318	2565	0
SYMSEC	42	0	12	0	30	0
PUBSEC		All (No ciphered association with the required properties)				
DP	0	0	0	0	0	0
GBT		All (No association with the required properties)				

Communication profile: TCP

Application context names: LONG_NAMES, LONG_NAMES_WITH_CIPHERING

Authentication mechanisms: NO_SECURITY, LOW_LEVEL_SECURITY
HIGH_LEVEL_SECURITY_GMAC

ACSE and xDLMS features: ACTION, GET, RLRQ_RLRE
SERVICE_SPECIFIC_BLOCK_TRANSFER, SET

Security features: SERVICE_SPECIFIC_DED_CIPHERING
SERVICE_SPECIFIC_GLO_CIPHERING, SUITE_0
SECURITY_ACTIVATE, KEY_TRANSFER

Data protection features: (not collected)

Logical device(s) found: SAP = 1 is "484D544D54313138" (HMTMT118)

COSEM classes tested: 1, 3, 4, 7(1), 8, 11, 15, 17, 18, 19, 20, 23, 41, 42, 45
64(1), 70

COSEM classes found but not tested: (none)